



# Mount Thorley Warkworth EPL Monitoring Data

Published 27 November 2023  
FOR THE MONTH ENDING 31 October 2023

<b>Name of Operation</b>	<b>Mount Thorley Coal Loader</b>
Environment Protection Licence	24
Licensee	Mount Thorley Coal Loading Ltd
Premises	Mount Thorley Coal Loading Ltd Mount Thorley Road, Mount Thorley Via Singleton NSW 2330
EPL Link	<a href="http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&amp;SYSUID=1&amp;LICID=24">http://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=89660&amp;SYSUID=1&amp;LICID=24</a>
<b>Name of Operation</b>	<b>Mount Thorley Operations</b>
Environment Protection Licence	1976
Licensee	Mount Thorley Operations Pty Limited
Premises	Mount Thorley Operations Mount Thorley Road Mount Thorley NSW 2330
EPL Link	<a href="https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=161559&amp;SYSUID=1&amp;LICID=1976">https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=161559&amp;SYSUID=1&amp;LICID=1976</a>
<b>Name of Operation</b>	<b>Warkworth Coal Mine</b>
Environment Protection Licence	1376
Licensee	Warkworth Mining Ltd
Premises	Warkworth Coal Mine Putty Road Mount Thorley NSW 2330
EPL Link	<a href="https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=160262&amp;SYSUID=1&amp;LICID=1376">https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=160262&amp;SYSUID=1&amp;LICID=1376</a>

## 1 INTRODUCTION

This report provides a summary of environmental monitoring results for Mount Thorley Warkworth (MTW) in accordance with the requirements of the following Environment Protection Licences (EPL):

- EPL24 – Mount Thorley Coal Loader (MTCL);
- EPL1376 – Warkworth Mining Limited (WML); and
- EPL1976 – Mount Thorley Operations (MTO).

This report includes all monitoring data collected in accordance with the above licences for the period 1 to 31 October 2023.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge and effluent quality; and
- Blast monitoring.

Monitoring locations are shown in **Figure 1**.

## 2 AIR QUALITY

In accordance with the requirements of Condition M2.2 of WML EPL 1376 and MTO EPL 1976, MTW maintains a network of five PM<sub>10</sub> monitors.

Results of Particulates (PM<sub>10</sub>) monitoring are shown in **Table 1**. Results reported represent the 24hr average PM<sub>10</sub>, derived from 10 minute PM<sub>10</sub> values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 31 October 2023 and the data was obtained on 1 November 2023.

**TABLE 1: PARTICULATE MATTER <10µm MONITORING**

Date	Unit of Measure	Monitoring Frequency & Capture	Monitoring Point				
			Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
01/10/2023	µg/m <sup>3</sup>	Continuous	17.8	17.2	44.2	16.3	#
02/10/2023	µg/m <sup>3</sup>		28.5	19.7	21.1	14.1	#
03/10/2023	µg/m <sup>3</sup>		26.4	28.3	53.3	26.2	#
04/10/2023	µg/m <sup>3</sup>		11.8	11.3	25.2	11.9	12.0
05/10/2023	µg/m <sup>3</sup>		2.5	2.1	12.3	3.3	3.8
06/10/2023	µg/m <sup>3</sup>		5.1	4.7	15.0	6.8	5.6
07/10/2023	µg/m <sup>3</sup>		11.4	5.5	5.8	4.0	5.4
08/10/2023	µg/m <sup>3</sup>		9.7	3.6	#	5.3	4.0
09/10/2023	µg/m <sup>3</sup>		9.8	3.9	15.5	6.3	6.4
10/10/2023	µg/m <sup>3</sup>		15.6	8.7	9.4	10.4	10.3
11/10/2023	µg/m <sup>3</sup>		17.5	9.8	12.9	9.7	9.9
12/10/2023	µg/m <sup>3</sup>		15.1	13.5	29.4	16.1	15.7
13/10/2023	µg/m <sup>3</sup>		3.8	1.9	13.3	5.9	3.5
14/10/2023	µg/m <sup>3</sup>		5.9	5.4	23.9	14.7	9.9
15/10/2023	µg/m <sup>3</sup>		12.7	5.8	23.0	11.5	10.6
16/10/2023	µg/m <sup>3</sup>		8.0	5.5	#	9.1	10.0
17/10/2023	µg/m <sup>3</sup>		14.1	2.6	#	3.9	3.9
18/10/2023	µg/m <sup>3</sup>		8.5	3.1	5.0	7.0	3.6
19/10/2023	µg/m <sup>3</sup>		8.9	2.9	4.4	6.5	3.7
20/10/2023	µg/m <sup>3</sup>		16.7	10.8	18.4	13.9	13.2
21/10/2023	µg/m <sup>3</sup>		32.7	27.0	32.7	29.0	33.0
22/10/2023	µg/m <sup>3</sup>		25.7	22.3	37.3	27.5	26.2
23/10/2023	µg/m <sup>3</sup>		10.0	8.1	33.0	13.8	11.4

MTW EPL Monitoring Data  
FOR THE MONTH ENDING 31 October 2023

Date	Unit of Measure	Monitoring Frequency & Capture	Monitoring Point				
			Warkworth North (EPA ID # 9 - WML EPL 1376)	MTO Boundary (EPA ID # 13 - MTO EPL 1976)	Dragline Crossing (EPA ID # 10 - WML EPL 1376 & MTO EPL 1976)	Heavy Vehicle Bridge (EPA ID # 11 - WML EPL 1376 & MTO EPL 1976)	MTIE (EPA ID # 12 - WML EPL 1376 & EPA ID #19 - MTO EPL 1976)
24/10/2023	µg/m <sup>3</sup>		9.6	8.1	40.5	19.4	13.9
25/10/2023	µg/m <sup>3</sup>		15.9	13.7	35.5	18.8	19.3
26/10/2023	µg/m <sup>3</sup>		11.9	5.6	5.9	6.7	8.0
27/10/2023	µg/m <sup>3</sup>		7.3	3.2	4.1	3.5	4.6
28/10/2023	µg/m <sup>3</sup>		8.4	2.7	5.3	4.9	3.4
29/10/2023	µg/m <sup>3</sup>		11.1	4.0	14.4	7.3	6.1
30/10/2023	µg/m <sup>3</sup>		18.2	17.0	37.9	24.1	21.5
31/10/2023	µg/m <sup>3</sup>		19.7	17.2	32.1	#	#
Monthly Meaningful Data							
October	µg/m <sup>3</sup>	Minimum*	2.5	1.9	4.1	3.3	3.4
October	µg/m <sup>3</sup>	Mean*	13.6	9.5	21.3	12.3	11.8
October	µg/m <sup>3</sup>	Maximum*	32.7	28.3	53.3	29.0	33.0
October	µg/m <sup>3</sup>	Median*	11.8	5.8	18.4	10.4	10.0

# 24 hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

\*Data calculated with missing 10 minute value(s) due to equipment or communication issue

MTIE denotes Mount Thorley Industrial Estate

### 3 SURFACE WATER

#### 3.1 Mine Water Discharge Monitoring

MTW participates in the Hunter River Salinity Trading Scheme (HRSTS) and maintains two monitoring locations associated with this scheme.

MTW did not undertake any HRSTS discharges in the reporting period as shown in **Table 2**. As such, no samples were collected during the reporting period as shown in **Table 3**.

**TABLE 2: MINE WATER DISCHARGE MONITORING - VOLUME AND MASS LIMITS**

Monitoring Location	Unit of measure	Volume/mass Limit	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point	Megalitres per day	100	0	0	-	-	-	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976) Discharge pipe from Dam 9S	Megalitres per day	100	0	0	-	-	-	-

**TABLE 3: MINE WATER DISCHARGE MONITORING- CONCENTRATION LIMITS**

Discharge Point	Pollutant	Unit of measure	Licence limits	No. of samples required by licence	No. of samples you collected and analysed	Lowest Sample Value	Mean of sample	Highest sample value	Median
Dam 1N Discharge / Point 1 (WML EPL 1376) Dam 1N Discharge Point	Electrical Conductivity	microsiemens per centimetre	-	0	0	-	-	-	-
	pH	pH	6.5 - 9.5	0	0	-	-	-	-
	Total Suspended Solids	milligrams per litre	120	0	0	-	-	-	-
Dam 1N Discharge Turbidity Monitoring / Point 25 (WML EPL 1376) Continuous turbidity monitor	Turbidity	nephelometric turbidity units	-	0	0	-	-	-	-
Dam 9S Discharge / EPL Point 4 (MTO EPL 1976) Discharge pipe from Dam 9	Electrical Conductivity	microsiemens per centimetre	-	0	0	-	-	-	-
	pH	pH	6.5 - 9.5	0	0	-	-	-	-
	Total Suspended Solids	milligrams per litre	120	0	0	-	-	-	-

### 3.2 Water Quality Monitoring

MTW undertakes monitoring in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 4**. Monthly sampling occurred on 9 October 2023 and the data was obtained 13 November 2023. Next quarterly sampling will occur in December 2023.

**TABLE 4: WATER QUALITY MONITORING**

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value(s)
W5 – Loders Creek / EPL Point 3 (MTO EPL 1976) Coal preparation plant access road bridge	Electrical Conductivity	microsiemens per centimetre	Once a month (min. of 4 weeks)	1	1	10350
	pH	pH units	Once a month (min. of 4 weeks)	1	1	8.3
	Total Suspended Solids	milligrams per litre	Once a month (min. of 4 weeks)	1	1	14
W1 – Hunter River / EPL Point 26 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W2 – Hunter River / EPL Point 27 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W3 – Hunter River / EPL Point 28 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
W5 – Loders Creek / EPL Point 29 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
WW5 – Dights Creek / EPL Point 30 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value(s)
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
SW40 – Wollombi Brook Downstream / EPL Point 31 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
Wollombi Brook / EPL Point 32 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-
Wollombi Brook Upstream / EPL Point 33 (WML EPL 1376)	Electrical Conductivity	microsiemens per centimetre	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
	Total Suspended Solids	milligrams per litre	Once a quarter	0	0	-

# - Sample unable to be collected due to insufficient water or unsafe access



### 3.3 Effluent Quality Monitoring

Monitoring is undertaken in accordance with Condition M2.3 of WML EPL 1376 and MTO EPL 1976 as detailed in **Table 5**. Sampling is undertaken on a quarterly basis and as such no sampling was required in October 2023.

**TABLE 5: EFFLUENT QUALITY MONITORING**

Monitoring Location	Pollutant	unit of measure	Monitoring frequency required by licence	No. of samples required by licence	No. of samples collected and analysed	Value
North Pit North Crib Hut Envirocycle / EPL Point 14 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Main Warkworth Staging Pond / EPL Point 15 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Warkworth Admin Envirocycle / EPL Point 16 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
West Pit South Crib Hut Envirocycle / EPL Point 17 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Warkworth Medical Centre Envirocycle / EPL Point 18 (WML EPL 1376)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-
Dam 1S / EPL Point 18 (MTO EPL 1976)	Faecal Coliforms	Colony forming units per 100 millilitres	Once a quarter	0	0	-
	pH	pH units	Once a quarter	0	0	-

#### 4 BLAST MONITORING

In accordance with the requirements of Conditions M7.1 (WML EPL 1376) and M8.1 (MTO EPL 1976), MTW maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at MTW. Blast monitoring results are detailed in **Table 6** (Airblast Overpressure) and **Table 7** (Ground Vibration). The last date sampled was on 30 October 2023. The data was obtained on 31 October 2023.

**TABLE 6: BLAST MONITORING (AIRBLAST OVERPRESSURE)**

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
3/10/2023 15:01	n43-whf-pr2	dB(L)	All Blasts 100%	115	120	105.9	103.5	103.8	103.4	107.4
3/10/2023 15:02	n51-wyf-pr6 & n51-rca-pr3	dB(L)		115	120	104.9	111.7	109.0	114.2	105.5
4/10/2023 12:34	w39-ble-ptg2	dB(L)		115	120	99.5	96.6	104.3	93.2	106.2
5/10/2023 11:35	n43-whf-ps1c	dB(L)		115	120	103.3	108.1	95.1	104.2	83.8
6/10/2023 14:10	w34-wwj-k-co1	dB(L)		115	120	100.0	88.2	101.2	87.0	94.9
9/10/2023 11:55	w46-rcc-pr1 & w47-rcd-ps1c	dB(L)		115	120	108.0	106.9	97.6	103.1	102.7
10/10/2023 12:08	n49-wyf-pr5	dB(L)		115	120	101.1	94.3	85.3	96.8	84.6
11/10/2023 12:32	w36-gmb-whc-co1	dB(L)		115	120	111.8	104.0	100.6	101.2	111.5
12/10/2023 13:27	noop-rl34-pr1	dB(L)		115	120	101.7	107.6	106.0	92.1	107.0
13/10/2023 11:49	n43-whf-pr3	dB(L)		115	120	97.8	99.1	99.8	104.9	99.1
14/10/2023 12:03	n41-bfb-wwa-co1	dB(L)		115	120	95.4	102.8	108.5	110.9	107.8
17/10/2023 12:26	w36-gmb-whc-co2	dB(L)		115	120	99.3	107.6	99.9	94.0	105.6
17/10/2023 12:26	w46-wyc-pr10	dB(L)		115	120	104.3	103.8	109.6	95.3	112.8

MTW EPL Monitoring Data  
FOR THE MONTH ENDING 31 October 2023

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
18/10/2023 12:46	n51-wyf-pr7	dB(L)		115	120	97.6	101.8	95.4	103.0	88.5
19/10/2023 10:11	NOOP-rl42-pr2	dB(L)		115	120	95.4	88.9	99.2	101.7	93.8
19/10/2023 16:06	w49-rcd-ps1a	dB(L)		115	120	104.7	106.9	95.8	103.8	96.3
20/10/2023 12:18	w39-ble-ptg3	dB(L)		115	120	103.4	96.8	96.8	93.0	98.6
23/10/2023 12:50	n47-bla-ptg18	dB(L)		115	120	106.3	97.0	104.8	102.7	107.3
23/10/2023 12:51	w49-rcc-pr2 & w49-rcd-ps1b	dB(L)		115	120	102.9	103.5	104.8	108.4	99.9
24/10/2023 11:41	w34-wwj-maa-co2	dB(L)		115	120	97.3	98.2	95.2	96.7	88.9
25/10/2023 12:00	n43-whf-ptg3	dB(L)		115	120	98.2	97.3	105.2	94.3	96.1
26/10/2023 15:18	n47-ble-pr8	dB(L)		115	120	90.3	98.6	93.2	117.3	90.1
27/10/2023 15:46	w34-mac-j-co1	dB(L)		115	120	101.0	109.0	102.8	79.4	111.7
28/10/2023 12:21	w35-wwc-ps1a	dB(L)		115	120	91.8	89.6	94.6	85.8	86.8
30/10/2023 12:04	w39-wnd-ps1c	dB(L)		115	120	99.4	93.4	104.0	84.6	98.6
<b>Monthly Meaningful Data</b>										
<b>Minimum</b>	<b>October</b>	<b>dB(L)</b>		115	120	90.3	88.2	85.3	79.4	83.8

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
Mean	October	dB(L)		115	120	100.8	100.6	100.5	98.8	99.4
Maximum	October	dB(L)		115	120	111.8	111.7	109.6	117.3	112.8
Median	October	dB(L)		115	120	101.0	101.8	100.6	101.2	99.1

TABLE 7: BLAST MONITORING (GROUND VIBRATION)

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
n43-whf-pr2	3/10/2023 15:01	mm/s	All Blasts 100%	5	10	0.42	1.04	0.09	1.60	0.28
n51-wyf-pr6 & n51-rca-pr3	3/10/2023 15:02	mm/s		5	10	0.14	0.29	0.03	0.50	0.09
w39-ble-ptg2	4/10/2023 12:34	mm/s		5	10	0.08	0.11	0.02	0.46	0.10
n43-whf-ps1c	5/10/2023 11:35	mm/s		5	10	0.10	0.35	0.03	0.52	0.09
w34-wwj-k-co1	6/10/2023 14:10	mm/s		5	10	0.09	0.09	0.03	0.38	0.06

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w46-rcc-pr1 & w47-rcd-ps1c	9/10/2023 11:55	mm/s		5	10	3.15	3.34	0.18	1.23	2.32
n49-wyf-pr5	10/10/2023 12:08	mm/s		5	10	0.21	0.55	0.05	0.67	0.15
w36-gmb-whc-co1	11/10/2023 12:32	mm/s		5	10	0.22	0.17	0.04	0.10	0.23
noop-rl34-pr1	12/10/2023 13:27	mm/s		5	10	0.07	0.09	0.12	0.53	0.04
n43-whf-pr3	13/10/2023 11:49	mm/s		5	10	0.57	1.13	0.09	2.31	0.30
n41-bfb-wwa-co1	14/10/2023 12:03	mm/s		5	10	0.18	0.18	0.03	0.19	0.12
w36-gmb-whc-co2	17/10/2023 12:26	mm/s		5	10	0.12	0.15	0.02	0.15	0.10
w46-wyc-pr10	17/10/2023 12:26	mm/s		5	10	0.56	0.37	0.04	0.14	0.74
n51-wyf-pr7	18/10/2023 12:46	mm/s		5	10	0.26	0.53	0.07	0.87	0.23
NOOP-rl42-pr2	19/10/2023 10:11	mm/s		5	10	0.02	0.03	0.05	0.57	0.02
w49-rcd-ps1a	19/10/2023 16:06	mm/s		5	10	0.53	1.25	0.12	1.15	0.33
w39-ble-ptg3	20/10/2023 12:18	mm/s		5	10	0.10	0.15	0.03	0.47	0.07
n47-bla-ptg18	23/10/2023 12:50	mm/s		5	10	0.07	0.14	0.03	0.58	0.05
w49-rcc-pr2 & w49-rcd-ps1b	23/10/2023 12:51	mm/s		5	10	0.65	0.75	0.08	0.58	0.41

MTW EPL Monitoring Data  
FOR THE MONTH ENDING 31 October 2023

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Bulga Village EPA ID # 6 (EPL 1376) & EPA ID # 7 (EPL 1976)	Wambo Road EPA ID # 5 (EPL 1376) & EPA ID # 6 (EPL 1976)	Putty Rd MTIE EPA ID # 8 (EPL 1376) & EPA ID # 9 (EPL 1976)	Warkworth EPA ID # 4 (EPL 1376) & EPA ID # 5 (EPL 1976)	Wollemi Peak Road EPA ID # 7 (EPL 1376) & EPA ID # 8 (EPL 1976)
w34-wwj-maa-co2	24/10/2023 11:41	mm/s		5	10	0.06	0.11	0.03	0.31	0.05
n43-whf-ptg3	25/10/2023 12:00	mm/s		5	10	0.14	0.33	0.06	0.25	0.15
n47-ble-pr8	26/10/2023 15:18	mm/s		5	10	0.17	0.51	0.04	0.19	0.13
w34-mac-j-co1	27/10/2023 15:46	mm/s		5	10	0.10	0.07	0.02	0.10	0.05
w35-wwe-ps1a	28/10/2023 12:21	mm/s		5	10	0.74	0.53	0.15	0.76	0.86
w39-wnd-ps1c	30/10/2023 12:04	mm/s		5	10	0.70	0.70	0.09	0.66	0.57
<b>Monthly Meaningful Data</b>										
<b>Minimum</b>	<b>October</b>	<b>mm/s</b>		5	10	0.02	0.03	0.02	0.10	0.02
<b>Mean</b>	<b>October</b>	<b>mm/s</b>		5	10	0.38	0.52	0.06	0.61	0.30
<b>Maximum</b>	<b>October</b>	<b>mm/s</b>		5	10	3.15	3.34	0.18	2.31	2.32
<b>Median</b>	<b>October</b>	<b>mm/s</b>		5	10	0.17	0.33	0.04	0.52	0.13




Figure 1 : Mount Thorley Warkworth Environmental Monitoring Locations