



POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN

Version	Effective Date (Month/YYYY)	Revision Detail	Author (Name/s)	Review Team (Name/s)
1	Aug 2012	Original Document	J Thomas	J Thomas
2	May 2014	Periodic Review	K Marchant	K Marchant
3	Aug 2015	Update to include both Stage 1 and Stage 2 of the project	мсо	мсо
4	Dec 2015	Testing and update Phone #s and chemical locations	мсо	мсо
5	May 2016	Testing and update Phone #s, chemical locations and UG1 Optimisation	мсо	мсо
6	Jun 2017	Test, update and addition of UndergroundMCORelocation of MagazineMCO		мсо
7	May 2018	Update of Personnel, Chemicals	МСО	MCO
8	Jul 2018	Update of contacts and testing review.	МСО	MCO
9	Jul 2019	Test, update of personnel and site contacts	МСО	MCO
10	Mar 2020	Test, General Update	мсо	МСО
11	Dec 2020	Test, General Update	мсо	МСО
12	Dec 2022	Test, General Update	мсо	МСО
13	Jun 2023	Test, General Update	мсо	МСО
14	Jun 2024	Test, General Update	МСО	МСО

FOR POLLUTION INCIDENT RESPONSE FLOW CHART AND NOTIFICATION PROCEDURE REFER TO PAGE 17.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	МСО

TABLE OF CONTENTS

1.0	INTR	ODUCTION	1
	1.1	SCOPE	4
	1.2	OBJECTIVES	4
	1.3	DEFINITIONS	4
	1.4	RELATIONSHIP TO OTHER DOCUMENTS	5
2.0	HAZ	ARD IDENTIFICATION	7
	2.1	INVENTORY OF POTENTIAL POLLUTANTS	8
3.0	PRE\	/ENTATIVE ACTIONS	9
	3.1	WATER MANAGEMENT	9
	3.2	HYDROCARBON MANAGEMENT	9
	3.3	BLAST MANAGEMENT	. 10
4.0	CON	TACT DETAILS	11
5.0	INCI	DENT RESPONSE AND POST NOTIFICATION PROCEDURE	12
5.0	INCI 5.1	DENT RESPONSE AND POST NOTIFICATION PROCEDURE	
5.0			. 12
5.0	5.1	DURING A POLLUTION INCIDENT	. 12 . 12
5.0	5.1	DURING A POLLUTION INCIDENT	. 12 . 12 . 12 . 12
5.0	5.1	DURING A POLLUTION INCIDENT NOTIFICATION OF A POLLUTION INCIDENT 5.2.1 Authorities	. 12 . 12 . 12 . 13
5.0	5.1 5.2 5.3	DURING A POLLUTION INCIDENT NOTIFICATION OF A POLLUTION INCIDENT	. 12 . 12 . 12 . 13 . 13
6.0	5.1 5.2 5.3 TRAI	DURING A POLLUTION INCIDENT NOTIFICATION OF A POLLUTION INCIDENT	. 12 . 12 . 12 . 13 . 13 . 13
6.0	5.1 5.2 5.3 TRAI	DURING A POLLUTION INCIDENT	. 12 . 12 . 12 . 13 . 13 16 16
6.0 7.0 8.0	5.1 5.2 5.3 TRAI AVA REVI	DURING A POLLUTION INCIDENT	. 12 . 12 . 12 . 13 . 13 16 16 16

LIST OF TABLES

TABLE 1: CONTACT DETAILS FOR PEOPLE AUTHORISED TO NOTIFY EXTERNAL PARTIES	11
TABLE 2: CONTACT DETAILS FOR AUTHORITIES	. 13
TABLE 3: MAXIMUM PENALTIES FOR FAILING TO COMPLY	17
TABLE 4: PENALTY NOTICE OFFENCES	. 17
TABLE 5: POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN RESPONSIBILITIES	18

LIST OF FIGURES

FIGURE 1: REGIONAL LOCATION	2
FIGURE 2: GENERAL ARRANGEMENT	3
FIGURE 3: ENVIRONMENTAL MANAGEMENT STRATEGY	6
FIGURE 4: FUME CLASSIFICATION (AEISG, 20211)	8
FIGURE 5: POLLUTION INCIDENT RESPONSE FLOWCHART	. 15

LIST OF APPENDICES

APPENDIX 1: DANGEROUS GOODS STORAGE LOCATION	19
APPENDIX 2: MCO DANGEROUS GOODS MANIFEST	20

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	МСО

1.0 INTRODUCTION

The Moolarben Coal Complex is located approximately 40 kilometres (km) north of Mudgee in the Western Coalfield of New South Wales (NSW) (Figure 1).

Moolarben Coal Operations Pty Ltd (MCO) is the operator of the Moolarben Coal Complex on behalf of the Moolarben Joint Venture (Moolarben Coal Mines Pty Ltd [MCM], Yancoal Moolarben (YM) Pty Ltd and a consortium of Korean power companies). MCO, MCM, and YM are wholly owned subsidiaries of Yancoal Australia Limited (Yancoal).

Mining operations at the Moolarben Coal Complex are currently approved until 31 December 2038 and would continue to be carried out in accordance with NSW Project Approval (05_0117) (Moolarben Coal Project Stage 1) as modified and NSW Project Approval (08_0135) (Moolarben Coal Project Stage 2) as modified.

Mining operations are also approved under Commonwealth Approvals Decisions granted under the Commonwealth *Environment Protection and Biodiversity Conservation Act, 1999* (EPBC Act).

The current mining operations at the Moolarben Coal Complex are conducted in accordance with the requirements of the conditions of Mining Lease (ML) 1605, ML 1606, ML 1628, ML 1691 and ML 1715 granted under the *Mining Act, 1992*.

The general arrangement of the Moolarben Coal Complex, showing modifications, is provided in **Figure 2**.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO




Figure 1: Regional Location

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	МСО




Figure 2: General Arrangement

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

1.1 SCOPE

The *Protection of the Environment Legislation Amendment Act 2011* (POELA Act) requires holders of an Environment Protection Licence to prepare and implement a Pollution Incident Response Management Plan (PIRMP).

This PIRMP has been prepared by MCO, as holder of Environment Protection Licence 12932 (EPL) in accordance with Part 5.7A of the *Protection of the Environment Operations Act 1997* (POEO Act) and Part 3A of the *Protection of the Environment Operations (General) Regulation 2009* (Regulation). EPL 12932 covers the following scheduled activities:

- 1. Coal Works;
- 2. Mining for Coal; and,
- 3. Extractive activities.

1.2 OBJECTIVES

This PIRMP will immediately be implemented by MCO in the event of a pollution incident.

Specifically, the objectives of the PIRMP are:

- to provide comprehensive and timely communication about a pollution incident to staff at the premises, the Environment Protection Authority (EPA), Mid-Western Regional Council, New South Wales (NSW) Ministry of Health, Department of Planning and Environment, WorkCover NSW, Fire and Rescue NSW and people outside the facility who may be affected by the impacts of the pollution incident;
- to minimise and control the risk of a pollution incident at the facility by identifying risks and developing actions to minimise and manage those risks; and
- to adequately implement the plan by training staff, identifying persons responsible for implementing the plan, and regularly testing the plan for accuracy, currency and suitability.

A hard copy of the PIRMP will be made available to any authorised EPA officer. The PIRMP will be available to any person who is responsible for implementing the plan.

1.3 DEFINITIONS

The following definitions are taken from the guideline developed by the NSW Environment Protection Authority (EPA) titled *Environmental Guidelines: Preparation of Pollution Incident Response Management Plans* (NSW EPA, 2012).

The definition of a pollution incident is:

• *Pollution incident* means an incident or set of circumstances during or as a consequence of which there is or is likely to be a leak, spill or other escape or deposit of a substance, as a result of which pollution has occurred, is occurring or is likely to occur. It includes an incident or set of circumstances

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

in which a substance has been placed or disposed of on premises, but it does not include an incident or set of circumstances involving only the emission of any noise.

A pollution incident is required to be notified if there is a risk of 'material harm to the environment', which is defined in section 147 of the *POEO Act* as:

- (a) harm to the environment is material if:
 - (i) it involves actual or potential harm to the health or safety of human beings or to ecosystems that is not trivial, or
 - (ii) it results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000 (or such other amount as is prescribed by the regulations), and
- (b) loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment.

MCO is required to report pollution incidents *immediately* to the EPA, NSW Health, the Department of Planning and Environment, Fire and Rescue NSW, WorkCover and the Mid-Western Regional Council. 'Immediately' has its ordinary dictionary meaning of promptly and without delay.


1.4 RELATIONSHIP TO OTHER DOCUMENTS

This PIRMP will from part of MCO's Emergency Response Management Plan. Additional MCO documentation relating to MCO's response to pollution incidents includes:

- Plan- Emergency Principal Control Plan;
- Plan- Dangerous Goods Management;
- Procedure- Risk Management;
- Procedure- Incident Response and Investigation;
- Yancoal Crisis Management Plan;
- Environmental Management Strategy (EMS);
- Mining Operations Plan;
- Blast Management Plan (BMP);
- Air Quality Management Plan (AQMP);
- Rehabilitation Management Plan (RMP);
- Water Management Plan (WMP), incorporating:
 - Site Water Balance (SWB);
 - Surface Water Management Plan (SWMP); and
 - Groundwater Management Plan (GWMP);
 - Biodiversity Management Plan (BioMP); and,
- Heritage Management Plan (HMP);

A summary of the MCO EMS Structure is shown in Figure 3.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO





Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

2.0 HAZARD IDENTIFICATION

Site Wide Broad Brush Risk Assessments (BBRA) were completed during 2019, to identify risks in all consequence categories including: "Harm to People", "Asset Damage and Other Consequential Losses", "Environment Impact" and "Impact on Reputation". The BBRA was coordinated by an independent facilitator and undertaken with representatives from all operations and departments.

The BBRA identified the following activities as high or extreme risks:

- water management;
- blast fume management;
- spontaneous combustion;
- bushfire management; and
- security of site.

The following activities have been identified as high risk potential pollution incidents at MCO:

- unauthorised discharge of water (sediment laden and/or contaminated) from site;
- discharge of hydrocarbons from site; and
- blast fume impact on people (to maintain consistency with industry standards this PIRMP relates to blasts with fume leaving site at Level 3, 4 and 5 fume as identified in **Figure 4**).

The activities described above are discussed further in **Section 3.0**.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

	Level	Typical Appearance
Level 0 No l	NOx gas	
Level 1 Sligh	it NOx gas	- Martine Buand
1A	Localised	and the second
1B	Medium	Contras we are
10	Extensive	Statute States
Level 2 Mind	or yellow/orange gas	
2A	Localised	the second se
2B	Medium	- Amark
2C	Extensive	
Level 3 Ora	nge gas	
3A	Localised	A los
3B	Medium	a contraction of the
3C	Extensive	Plast an
Level 4 Orar	ige/red gas	and an and the se
4A	Localised	
4B	Medium	and a second second second
4C	Extensive	
Level 5 Red	/purple gas	A ST
5A	Localised	A 194
5B	Medium	and the second
5C	Extensive	and the second s

Figure 4: Fume Classification (AEISG, 20211)

2.1 INVENTORY OF POTENTIAL POLLUTANTS

All Chemicals used are recorded on a register 'ChemAlert' which is available through the Yancoal site intranet. All chemicals are accompanied by the relevant Safety Data Sheet (SDS) as required by Work Health and Safety regulations. MCO notifies WorkCover of Schedule 11 chemicals as required by legislation and maintains a Licence to Store Explosives with WorkCover NSW. The locations of dangerous goods including fuels and explosives are described in the Plan- Dangerous Goods Management and are shown in **Appendix 1**. Quantities of dangerous goods are shown in **Appendix 2**.

All chemicals, explosives and fuels are stored in accordance with statutory requirements and relevant Australian Standards.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

3.0 PREVENTATIVE ACTIONS

MCO has implemented a number of management measures including standard work practices, hazard reporting, PRIDE's and site specific management plans (**Figure 2**) to minimise potential impacts and reduce the likelihood of a potential pollution incident occurring on site. The specific measures used to reduce the likelihood of the high-risk potential pollution incidents are described below.

A description of the safety equipment and other devices that are used to minimise the risks to human health to contain or control a pollution incident are also detailed below.

An up to date inventory including SDS's of hazardous chemicals and potential pollutants stored on site is available on 'ChemAlert', accessed via the Yancoal intranet. Personal Protective Equipment (PPE) for the safe handling of all chemicals stored on site is available at the MCO store warehouses.

3.1 WATER MANAGEMENT

A Water Management Plan (WAMP) has been prepared by MCO to satisfy the requirements under NSW Project Approval (05_0117 and 08_0135). The WAMP applies to all employees and contractors at the Moolarben Coal Complex and covers all areas within the Stage 1 and Stage 2 Project boundaries (as defined in Appendix 2 of NSW Project Approval 05_0117 and 08_0135).

To assist in the management of surface water and groundwater and minimise the risk of unauthorised discharges from site the WAMP includes the following:

- Site Water Balance (including an outline of the water management system).
- Surface Water Management Plan (SWMP).
- Ground Water Management Plan (GWMP)
- A procedure for the management and reporting of incidents, complaints and non-compliances.

Further management measures outlined in the SWMP include:

- Minimisation of water use on site;
- Water sharing agreements with neighbouring mines;
- Designing infrastructure in accordance with relevant approvals and guidelines;
- Rehabilitation and management of Final Voids;
- Procedures for In-Pit emplacement of tailings and acid forming materials; and
- Storage of chemical and hydrocarbons.

3.2 HYDROCARBON MANAGEMENT

Hydrocarbons at MCO are stored in bunded areas in accordance with *AS1940: Storage and Handling of Flammable and Combustible Liquids*. All major storage locations are located within the mine water catchment of the site so that if the containment is breached the hydrocarbons will be captured in the water management system.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	МСО

Hydrocarbon storage areas and spill kits are inspected on a regular basis by operational personnel and the Waste Management Contractor. Spill kits are stored in high risk locations such as hydrocarbon storage areas and generally contain the following items:

- absorbent material;
- absorbent pads; and
- absorbent booms.

MCO has a dedicated Emergency Response Team (ERT) available to assist with the control and clean-up of hydrocarbon spills. MCO have a contract with a waste management provider who can supply trucks to assist with the clean-up of large spills including incidents where hydrocarbons are released to water. As part of the induction process for all employees and contractors, hydrocarbon management and the response to spills is discussed.

3.3 BLAST MANAGEMENT

MCO have developed an approved Blast Management Plan (BMP) that describes the management of blasting associated with open cut operations (including management of overpressure, vibration, flyrock and fume) at the Moolarben Coal Complex in accordance with Project Approvals (05_0117 and 08_0135). The approved Blast Management Plan includes the following management measures:

- areas of the mine that present an elevated fume risk;
- methods used on site to reduce the generation of blast fume (e.g. product selection);
- scheduling and timing of shots to reduce the impact of fume on the environment and local communities; and
- collection of data and the associated reporting requirements.
- a minimum blast exclusion zone of 500m;
- assessment of wind conditions prior to the blast to identify personnel and community members that may be impacted;
- radio contact on site to evacuate work areas if required;
- adequate design of the blast (right product for the conditions); and
- notifications to external stakeholders prior to blasting.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

4.0 CONTACT DETAILS

The people listed in Table 11 have the delegation to activate this plan, notify the authorities listed in Table 2 and communicate with external stakeholders regarding pollution incidents at MCO.

 Table 1: Contact Details for People Authorised to Notify External Parties

Position	Contact	Phone Number
General Manager	Brian Wesley	0419 970 894
Environment and Community Manager	Trent Cini	0408 312 269
Underground Operations Manager	Elliot Baume	0405 0676 00
Open Cut Operations Manager	Tim Oliphant	0447 091 333
Environment and Community Superintendent	Rebecca Shanks	0438 662 577
Health Safety and Training Manager	Mat Cooper	0408 177 622
CHPP Manager	Jonathan Chapman	0419 641 157

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

5.0 INCIDENT RESPONSE AND POST NOTIFICATION PROCEDURE

The following details the incident response and notification procedure. The procedure is documented in **Figure 5**.

5.1 DURING A POLLUTION INCIDENT

The PIRMP will be activated when:

- An MCO employee, contractor or supplier becomes aware of a pollution incident or potential pollution incident that has caused, or threatens to cause, material harm to the environment; or
- A notification from an external party provides evidence that a pollution incident or potential pollution incident may have occurred at MCO.

Upon activation of the PIRMP the following internal and external notification process is to be followed:

- 1. Person identifies the potential pollution incident.
- 2. Report potential pollution incident to supervisor immediately.
- 3. If there is an immediate threat to life or property, declare an emergency situation, activate the ERT and contact 000 immediately. Refer to First Response Plans and Plan-Emergency Principal Control Plan.
- 4. Supervisor reports incident to Environment and Community Manager immediately. Where not available, contact authorised persons listed in Table 1 and provide the following details:
 - a. Exact location of incident
 - b. Date, time and nature of incident
 - c. Extent of incident
 - d. Actions taken
 - e. Whether emergency services are required, or have been contacted.
- 5. Authorised person (Table 1) will provide notifications to relevant authorities (Table 2) immediately on becoming aware of the Pollution Event in accordance with Section 5.2 below. Relevant Authorities are to be provided with factual information.
- 6. Where other stakeholders may be impacted (e.g. community) or where directed by the EPA, other stakeholders are to be contacted.

5.2 NOTIFICATION OF A POLLUTION INCIDENT

5.2.1 Authorities

If a pollution incident on site occurs where material harm to the environment is caused or threatened, MCO must immediately implement this PIRMP in conjunction with the Plan- Emergency Principal Control Plan. The authorities listed in **Table 2** shall be notified immediately of the pollution incident by an authorised person (**Table 1**). All pollution incidents causing or threatening material harm to the environment are to be immediately notified in accordance with the flowchart in **Table 5**.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

Order	Name	Contact Details
1.	Fire and Rescue NSW	000 - Emergency
		Non-Emergency after hours duty commander - 0476 803 402
2.	Environment Protection Authority	131 555
3.	NSW Ministry of Health via local Public Health Unit	Public Health Officer 1300 066 055
4.	Safe Work	13 10 50
5.	Mid-Western Regional Council (MWRC)	As per MWRC website all notification of
		emergencies need to be made to 000
		Also 02 6378 2850 or 1300 765 002
6.	Department of Planning, Housing and Infrastructure	1300 420 596
		Advised that notifications can be made through
		the Portal.
7.	Department of Regional NSW– Resources	1300 814 609
	Regulator	

Table 2: Contact Details for Authorities

5.2.2 Community

Any pollution incident causing or threatening material harm to the environment will be communicated to all potentially impacted stakeholders as soon as practicable by an authorised person (listed in Table 1). For water and hydrocarbon related pollution incidents the closest private water user downstream of the operations will be notified of the incident. Ongoing communication will continue until the incident has been controlled and impacts as a result of the incident have been rectified.

MCO will contact those affected by a pollution incident in conjunction with emergency services by either direct contact or telephone. Updates will be provided to the broader local community in affected areas via newsletters, information sheets, the MCO website (www.moolarbencoal.com.au) or media statements. The method and content of communication will depend on the pollution incident and the actions required to protect human health.

For a fume related incident (blast fume leaving the site boundary at level 3 or higher), MCO will endeavour to contact stakeholders within the fume path. Contact registers for stakeholders within the vicinity of MCO are maintained on site.

5.3 FOLLOWING A POLLUTION INCIDENT

Following a pollution incident at MCO the following actions will be undertaken:

- Assessment of incident to determine necessary controls and remedial works. Remediation works may include:
 - Sampling and/or Monitoring
 - Installation of controls

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

- Engagement of specialist consultants and/or contractors
- o Procurement of additional/replacement supplies (e.g. spill kit material)
- Consultation with agencies or stakeholders.
- Remediation works as determined necessary in the assessment of the incident.
- Updates of Agencies and Stakeholders
- Internal investigation of the pollution incident;
- A detailed report of the pollution incident is to be provided to the Department of Planning and Environment (DP&E) and any relevant agencies within 7 days of the date of the incident as per Schedule 5 Condition 7 of Project Approval (05_0117) and Schedule 6 Condition 7 of Project Approval (08_0135);
- Submission of a report to EPA on the pollution incident outlining the following:
 - Date, time and nature of the pollution incident;
 - Identifying the cause (or likely cause) of the pollution incident;
 - \circ $\;$ Describing what action has been taken to date; and
 - o Describing proposed measure to address the pollution incident.
- Participation in any external investigation of the pollution incident;
- Review of the PIRMP for effectiveness; and
- Communicate any changes of the PIRMP.




Figure 5: Pollution Incident Response Flowchart

Actions taken or proposed to be taken to remediate the incident and any resulting pollution or threatened pollution.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	МСО

6.0 TRAINING

The following actions will be undertaken to train personnel in the implementation of the PIRMP:

- Communication with employees and contractors informing them about the existence and purpose of the PIRMP in inductions;
- Notification of environmental incidents;
- Communication with relevant people outlining their role and responsibilities under the PIRMP; and
- Provide updates when the PIRMP is revised.

In addition to the above, the MCO ERT training schedule contains HAZMAT training for ERT members.

Records of training will be kept in accordance with the MCO training management system.

7.0 AVAILABILITY OF PLANS

A copy of this plan will be maintained at the MCO premises so that it is readily available to those responsible for its implementation, and to an authorised officer on request.

Sections of this plan will be made available to members of the public on the MCO website <u>www.moolarbencoal.com.au</u>.

8.0 REVIEW AND TESTING

A copy of the PIRMP will be at all times kept at MCO and implemented in the case of a pollution incident. The PIRMP will be reviewed:

- within 3 months of any changes to licence conditions relating to pollution incidents;
- following a pollution incident at MCO;
- following an independent environmental audit which recommends changes to the PIRMP; and
- if there is a relevant change in technology or legislation.

The PIRMP will be tested regularly in such a manner as to ensure that the information included in the plan is accurate, up to date and is capable of being implemented in an effective manner. Testing will be undertaken by desktop simulation or using practical drills at the following intervals:

- at least once every 12 months; and
- within one month of activation of the PIRMP occurring.

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO

9.0 FAILURE TO COMPLY

MCO takes it responsibilities under the POEO Act seriously. Employees and contractors will be made aware of the penalties prescribed under the POEO Act relating to pollution incidents.

Penalty	Type of offence	Penalty for Corporations	Penalty for individuals
Tier 1	Wilful breach causing or likely to cause 'significant environmental harm', or death, serious injury or serious illness	\$10,000,000	\$2,000,000 and up to 7 years imprisonment.
	Negligent breach causing or likely to cause 'significant environmental harm', or death, serious injury or serious illness	\$4,000,000	\$1,000,000 and up to 4 years imprisonment
Tier 2	Failure to notify pollution incidents	\$4,000,000 and \$480,000 for each day the offence continues	\$1,000,000 and \$240,000 for each day the offence continues
	Catch-all (water, air, land and noise pollution offences) Unlawful transporting or depositing of waste Unlawful use of place as a waste facility	\$2,000,000 and \$240,000 for each day the offence continues	\$500,000 and \$120,000 for each day the offence continues
Tier 3	Tier 2 matters that have been designated in the Regulations as being capable of being dealt with by way of penalty notice	Penalty notice	Set by Regulations

Table 3: Maximum Penalties for Failing to Comply

Table 4: Penalty Notice Offences

Offence	Maximum penalty (corporation)	Maximum penalty (individual)
Polluting water/air/land (intentional)	\$30, 000	\$15,000
Failure to comply with prevention notice	\$30,000	\$,15,000
Emission of odours	\$8,000	\$4,000
Operation of plant – noise	\$1,500	\$750
Unlawful transporting or depositing of waste	\$8,000	\$4,000
Use of land as waste facility without lawful authority	\$15,0000	\$7,500
Failure to notify of pollution incidents	\$30,0000	\$15,000
Failure to prepare, implement, keep and test a PIRMP	\$8,000 for each offence	\$4,000 for each offence

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO


10.0 RESPONSIBILITIES

Table 5 summarises the responsibilities assumed under the PIRMP.

Table 5: Pollution Incident Response Management Plan Responsibilities

Role	Responsibility					
General Manager	Provide adequate resources to implement the requirements of the PIRMP					
	Notify Yancoal corporate of Pollution Incidents					
Environment and Community Manager (ECM)	Notify relevant authorities and potentially affected external stakeholders of pollution incidents					
	Coordinate the response to pollution incidents					
	Prepare reports relating to pollution incidents					
	Provide all employees and contractors adequate training in environmental awareness, legal responsibilities, and pollution incident response					
	Coordinate relevant reviews of the PIRMP					
Environment and Community	Assist with the response to pollution incidents					
Advisor (ECA)	Assist with the notification and reporting of pollution incidents					
Department Managers	Notify relevant authorities and potentially affected external stakeholders pollution incidents					
	Coordinate the response to pollution incidents					
Department Supervisors	Notify the ECM and department manager of pollution incidents					
	Coordinate the response to pollution incidents					
	Undertake routine area inspections, including water management structures and hydrocarbon containment areas					
Health, Safety and Training	Maintain the Emergency Response Team					
Department	Maintain records of training relating to the PIRMP					
	Maintain Emergency Response plans					
	Maintain Chemical registers					
All employees and contractors	Report pollution incidents and potential pollution incidents to their immediate supervisor					
	Ensure all chemicals, hydrocarbons and hazardous substances are stored and handled appropriately.					

Document	Version	Effective	Status	Author
MCO_ENV_PLN_0032	14	Jun 2024	Approved	MCO



Appendix 1: Dangerous Goods Storage Location

Summary information about classes of Dangerous Goods							
Class	Packing Group	Maximum quantity Kg or L					
2.1	N/A	4000					
2.2/5.1	N/A	200					
2.2 Other	N/A	550					
2	N/A	400					
Cryogenic Fluids	N/A	250					
3	Ш	300					
3	III	650					
5.1 (UN 3375)	II	255000 L					
5.1 (UN1942)	III	380000 kg					
8	П	2050					
8	III	50					
9	III	600					
C1	N/A	824000					
C2	N/A	160648					

Summary information about classes of Dangerous Goo
--

Fuel and Explosives Manifest – Bulk Storages

Location	Tank	Dangerous goods					Tank	Tank	
	Identifier	Shipping Name	Class	Sub Risk/s	UN No.	PG	Туре	Capacity	
O/C 1 Fuel Farm	TK4	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	107,200L	
	ТК5	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	107,200L	
	ТКб	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	107,200L	
O/C 4 Fuel Farm	918TK1	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	104,500L	
	918TK2	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	104,500L	
	918TK3	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	104,500L	
CHPP Reagents	FL2815	Combustible Liquid C1 NALCO 8836 PLUS	C1	N/A	N/A	N/A	a/g	33,600L	
CHPP Fuel	FL2812	Combustible Liquid C1 Collector diesel fuel	C1	N/A	00C1	N/A	a/g	33,600L	
	TNKU7403	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	67,120L	
Reload	ANE.3.01	Ammonim Nitrate	5.1		1942	Ш	Trailer	100,000kg	
Facility OC3	ANE.3.02	Ammonim Nitrate emulsion	5.1	N/A	3375	11	a/g	60,000L	
	ANE.3.02	Ammonim Nitrate emulsion	5.1	N/A	3375	11	a/g	60,000L	
	FS.33.05	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	60,000L	
Explosives	AN 1	Ammonium Nitrate	5.1		1942	III	Trailer	280,000kg	
Reload	TBM016	Ammonium Nitrate	5.1	N/A	1942	III	Transit Bin	94,000kg	
Facility – OC4	ANE.4.01	Ammonium Nitrate Emulsion	5.1	N/A	3375	II	a/g	60,000L	

Location	Tank	Dangerous goods					Tank		
	Identifier	Shipping Name	Class	Sub Risk/s	UN No.	PG	Туре	Capacity	
	ANE.4.02	Ammonium Nitrate Emulsion	5.1	N/A	3375	Ш	a/g	60,000L	
	ANE.4.03	Ammonium Nitrate Emulsion	5.1	N/A	3375	11	a/g	15,000L	
	FS.33.05	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	3,000L	
UG Operation	DG149901	Petroleum Gases, Liquefied	2.1	N/A	1075	N/A	UST	3, 000 Kg	
Offices	DG149902	Combustible Liquid C1 Automotive diesel fuel	C1	N/A	00C1	N/A	a/g	30,000L	
CHPP Permanent Water	ТК8101	Sulphuric Acid	8	N/A	1830	II	Ixom Bullet - Self-bunded Tank	12,500L	
Treatment Plant	ТК2002						Ixom Cube - IBC in Bund	1200L	
	ТК8201	Bisulphiyes, Aqueous Solution, N.O.S. (Contains Sodium Bisulphite)	8	N/A	2693	111	Ixom Bullet - Self-bunded tank	12,500L	
	TK8301 TK2003	Mermguard AS 104	N/A	N/A	N/A	N/A	Ixom Cube - IBC in Bund	1200L	
	TK8401	Citric Acid	N/A	N/A	N/A	N/A	Ixom Cube - IBC in Bund	1200L	
	ТК8501 ТК8502 ТК8503	Hypochlorite Solution	8	N/A	1791	II	Ixom Bullet - Self-bunded tank	47, 000L	
	TK8601	Sodium Hydroxide Solution	8	N/A	1824	II	Ixom Bullet - IBC in Bund	10500L	
	ТК8701	Environmentally Hazardous Substance, Liquid N.O.S. (Contains 2.2-Dibromo-3- Nitrilopropionamide)	9	N/A	3082	111	Ixom Cube - IBC in Bund	1200L	
	TK8801	Caustic Alkali Liquid, N.O.S. (Contains Alkyldimethylbenzyl Ammonium Chloride)	8	N/A	1719	11	Ixom Cube - IBC in Bund	1200L	
	ТК8901	PAC23	N/A	N/A	N/A		Ixom Bullet - Self-bunded tank	10500L	
	TK2021 TK2022	Potassium Permanganate Solution					HDPE Tanks	25500 L	
	ТК2023	Potassium Permanganate	1Y		1490	11	Drums	20000 kg	

Package Storage Locations

UN No.	Proper Shipping Name	Class	Product or common name	Normal quantities stored	Maximum amount stored
0042	Boosters	1.1D	Boosters	10,000kg	10,000kg
0065	Cord, Detonating	1.1D	Det Cord	200kg	200kg
0030	Detonators, Electronic for blasting	1.1B	Electronic detonators	12,000 No	12,000 No
0349	Articles, Explosives, N.O.S	1.4S	Articles, Explosive, N.O.S	200 No	200 No
0360	Detonator Assemblies, NonElectric for blasting	1.1B	Detonators	17,800 No	17,800 No
0241	Explosives Blasting Type E	1.1D	Senatel Permitted 1000	700 No	10,000 No
0456	Detonators Electric	1.1B/1.4S	Carrick II Detonator Series	500 No	10,000 No

Other packaged dangerous goods

Dangerous Goods Loaded onto Vehicles

2 x Mobile units, Class: 5.1, PG 11, Quantity, 25,000kg each. Located in Reload Facility when not required – ID T003 and T004.

Shipping Name	Class	Sub Risk/s	UN No.	PG	Туре	Mobile Storage Identifier	Total Capacity
Ammonium Nitrate	5.1	N/A	1942	111	Stored in Mobile Units	BM195 BM214 BM270 BM292 BM293 BM207	7.5t 9.5t 9.5t 10.5t 10.5t 7.5t
Ammonium Nitrate Emulsion	5.1	N/A	1942	111	Stored in Mobile Units	BM195 BM214 BM270 BM292 BM293	11t 7.5t 7.5t 9.5t 9.5t